SECURITY CLASSIFICATION OF THIS PAGE	AU-AZ4				<u> </u>	
			AGE			
1a. REPORT SECURITY CLASSIFICATION			ARKINGS			
Unclassified		l				
	DD 2.0.1002		/AVAILABILITY OF			
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE 0 1002		Approved for public release; distribution unlimited.				
4. PERFORMING ORGANIZATION REPORT NUI	MBER(	5. MONITORING	ORGANIZATION RE	PORT NUMBER	5)	
	U	-	0			
				1.5-CH-5		
6a. NAME OF PERFORMING ORGANIZATION Fluorochem, Inc.	6b. OFFICE SYMBOL (If applicable)	7a. NAME OF MO	ONITORING ORGAN	IIZATION		
ridorochem, inc.		U. S. A	rmy Research	Office		
6c. ADDRESS (City, State, and ZIP Code)	7b. ADDRESS (City, State, and ZIP Code)					
680 S. Ayon Avenue, Azu	P. O. Box 12211 Research Triangle Park, NC 27709-2211					
Ba. NAME OF FUNDING/SPONSORING	8b. OFFICE SYMBOL	9. PROCUREMEN	T INSTRUMENT IDE	NTIFICATION NU	IMBER	
ORGANIZATION (If applicable)						
U. S. Army Research Office		DAAL03-88-C-0013				
8c. ADDRESS (City, State, and ZIP Code)		10. SOURCE OF P	UNDING NUMBERS	TASK	TWORK UNIT	
P. O. Box 12211 Research Triangle Park, NC 27709-2211		ELEMENT NO.	NO.	NO.	ACCESSION NO.	
11. TITLE (Include Security Classification) Chemistry of Polynitroethane Derivatíves						
12. PERSONAL AUTHOR(S) Baum, Kurt						
13a. TYPE OF REPORT 13b. TIME COVERED FROM 88 Jan 15 TO 92 Mar 31		14. DATE OF REPO	ort (Year, Month, E	15. PAGE 9	COUNT	
16. SUPPLEMENTARY NOTATION The view, opinions and/or findings contained in this report are those						
of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other documentation						
17. COSATI CODES	18. SUBJECT TERMS (C	ther document Continue on reverse	tation	identify by bloc	k number)	
FIELD GROUP SUB-GROUP		dinitroeth	vlene. 1.2	-diiododi	nitro-	
	2,2-dinitrop	romodinitr	initrometh	yl compou	inds,	
ethylene, dibromodinitroethylene, 3,3,3-trifluoro- 2,2-dinitropropanol, trinitromethyl compounds, crystallography						
19. ABSTRACT (Continue on reverse if necessary and identify by block number)  1,2-Difluorodinitroethylene was propared by pyrolysis of 1,2-difluorotetra- nitroethane. Reactions of 1,1,-diiododinitroethylene with nucleophiles were						
studied. Nitrations of 1,1-diamino-2,2-dinitroethylenes gave trinitromethyl						
derivatives. Fluoride ion reacted with 1,1-diiododinitroethylene to give trifluorodinitroethane salts, used to prepare 3,3,3-trifluoro-2,2-						
dinitropropyl formal. Thermolysis of 1,1,2-tribromotrinitroethane gave						
1,2-and 1,1-dibromodinitroethylene.						
				4400		
92-11196						
92 4 27 46 <b>3</b>						
20. DISTRIBUTION / AVAILABILITY OF ABSTRA			CURITY CLASSIFICA	TION		
☐ UNCLASSIFIED/UNLIMITED ☐ SAME /	AS RPT. DTIC USERS		classified	1330 Accies as	Y44001	
224. HAMIE OF RESPONSIBLE INDIVIDUAL		ZZO. IELEPHONE (	include Area Code)	ZZC. OFFICE S	IMBOF	

# CHEMISTRY OF POLYNITROETHANE DERIVATIVES

FINAL REPORT

K. Baum

March 1992

U. S. ARMY RESEARCH OFFICE

CONTRACT DAAL03-88-C-0013

FLUOROCHEM, INC.

680 South Ayon Avenue Azusa, CA 91702

APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED



Aces	ssion For	
Pric		
	aounged ification_	0
By		
	lability (	
A-1	Avail and Special	/or

THE VIEW, OPINIONS, AND/OR FINDINGS CONTAINED IN THIS REPORT ARE THOSE OF THE AUTHORS AND SHOULD NOT BE CONSTRUED AS AN OFFICIAL DEPARTMENT OF THE ARMY POSITION, POLICY, OR DECISION, UNLESS SO DESIGNATED BY OTHER DOCUMENTATION.

#### Introduction

This final report summarizes Research on Contract DAAL03-88-C-0013.

This work is a continuation of research supported earlier by the Army

Research Office under Contracts DAAG29-82-C-0003, DAAG29-79-C-0011 and

DAAG29-85-C-0010.

Polynitroolefins are of general theoretical interest for studies of the bonding effects of electronegative organic substituents. They are also of practical interest as building blocks for energetic explosives and propellant ingredients. Under the predecessor ARO contracts, evidence for the formation of tetranitroethylene in solution thermolysis was obtained first by Diels Alder trapping experiments, and subsequently the pure olefin was isolated by flash vacuum pyrolysis. Pyrolysis of the anthracene adduct of tetranitroethylene gave 11,12-dinitro-9,10-dihydro-9,10-ethenoanthracene, the Diels Alder adduct that would be obtained from the unknown dinitroacetylene. Preliminary work on the pyrolysis of 1,2-difluorotetranitroethane indicated that 1,2-difluorodinitroethylene was formed. Also, incomplete work was carried out on the preparation of 1,1-diiododinitroethylene and studies of its reactions with nucleophiles.

#### Results

On the current contract, work on the preparation and characterization of 1,2-difluorotetranitroethane was completed and published. The compound was found to be considerably more stable than tetranitroethylene. X-ray diffraction, surprisingly, showed that one of the two nitro groups is out of the plane of the rest of the molecule.

Work initiated on the preceding contract showed that a compound reported in 1900<sup>5</sup> as 1,2-diiododinitroethylene was actually 1,1-diiododinitroethylene. Additional work on the structure and reactions of this olefin was carried out on the current program, and the work was published. A noteworthy feature of the structure of 1,1-diiododinitroethylene is that only one nitro group is coplanar with the double bond and the other is twisted out of the plane by 90°. These two examples of geminal and vicinal dinitroolefins exhibiting planarity of only one nitro group with the double bond are unprecedented.

1,1-Diiododinitroethylene underwent facile nucleophilic substitutions and Michael addition reactions. Simple amines (dimethylamine, propylamine, aniline) gave 1,1-diamino-2,2-dinitroethylene derivatives; diamines (o-phenylenediamine, ethylenediamine, 1,3-diaminopropane, 1,4-diaminobutane) gave the corresponding cyclic products, and a tetramine, tetrakis(aminomethyl)methane gave the analogous spiro derivative. Ammonia gave only ammonium cyanodinitromethide, whereas phenol gave 1,1-dinitro-2,2,2-triphenoxyethane. The reaction of 1,1-Diiododinitroethylene with potassium nitrite gave the dipotassium salt of tetranitroethane. X-ray crystallography of the 1,1-diamino-2,2-dinitroethylenes showed twisting of the double bond, in some cases, with twist angles greater than any previously reported for twisted ethylenes, with concomitant bond distance distortions.

The reaction of 1,1-diiododinitroethylene with fluoride ion followed a course analogous to that of phenoxide ion. Tetrabutylammonium fluoride gave

the tetrabutylammonium salt of 1,1,1-trifluorodinitroethane, although alkali metal fluorides or lower tetraalkylammonium salts did not give isolable products. The sodium salt of 1,1,1-trifluorodinitroethane could be isolated by metathesis. The reaction of formaldehyde with the tetrabutylammonium salt gave 3,3,3-trifluoro-2,2-dinitropropanol, which was converted to its formal with trioxane and sulfuric acid. This formal is potentially useful as a plasticizer for rocket propellants and explosives because of improved oxidation balance compared to the currently used unfluorinated analog, BDNPF.

$$CF_3C(NO_2)_2Bu_4$$
 $CF_3C(NO_2)_2Bu_4$ 
 $CF_3C(NO_2)_2Bu_4$ 
 $CF_3C(NO_2)_2Bu_4$ 
 $CF_3C(NO_2)_2Bu_4$ 
 $CF_3C(NO_2)_2Bu_4$ 
 $CF_3C(NO_2)_2Bu_4$ 
 $CF_3C(NO_2)_2Bu_4$ 
 $CF_3C(NO_2)_2Bu_4$ 
 $CF_3C(NO_2)_2Bu_4$ 
 $CF_3C(NO_2)_2Bu_4$ 

The nitration of 1,1-diamino-2,2-dinitroethylene derivatives, obtained from amines and 1,1-diiododinitroethylene, was studied. Nitrations with nitric acid and trifluoroacetic anhydride gave trinitromethyl nitramino imines in high yield. Formally, the formation of these trinitromethyl derivatives involves

attack of a nitronium ion equivalent on the dinitrovinyl carbon, with loss of a proton on nitrogen, and nitration of the other amine nitrogen. The order of these two steps is unknown.

reductive denitration of the trinitromethyl groups would be expected to give the dinitromethyl analogs, which are tautomeric with N-nitro-1,1-diamino-2,2-dinitro olefins.

Scholl' reported in 1898 that the bromination of the dipotassium salt of tetranitroethane gave 1,1,2-tribromotrinitroethane, which, on heating at 100 °C at 50 mm Hg, gave dibromodinitromethane, tribromonitroethylene, and 1,2-dibromodinitroethylene. The latter compound was identified only by elemental analysis. This report is the only reference in the literature for 1,2-dibromodinitroethylene, and the possible alternative structure, 1,1-dibromodinitroethylene, has not been reported. These reactions were reinvestigated as an extension of our study of polynitroolefins. Both 1,2-dibromodinitroethylene and 1,1-dibromodinitroethylene were obtained by the thermolysis of 1,1,2-tribromotrinitroethane. 1,2-Dibromodinitroethylene reacted with methanol to give methyl bromonitroacetate, and gave a Diels-Alder adduct with cyclopentadiene. 1,1-Dibromodinitroethylene reacted with ethylenediamine to give 2-(dinitromethylene)-1,3-diazacyclopentane, obtained previously from 1,1-diiododinitroethylene.

$$Br_2(NO_2)C-CBr(NO_2)_2 \xrightarrow{\blacktriangle} Br(NO_2)C=CBr(NO_2) + Br_2C=C(NO_2)_2$$

### References

- 1. T. S. Griffin; Baum, K.; J. Org. Chem. 1980, 45, 2880.
- 2. Baum, K.; Tzeng, D. J. Org. Chem. 1985, 50, 2736.
- 3. Baum, K.; T. S. Griffin; J. Org. Chem. 1931, 46, 4811.
- 4. Baum, K.; Archibald, T. G.; Tzeng, D.; Gilardi, R.; Flippen-Anderson, J. L.; George, C., J. Org. Chem., 1991, 56, 537-539.
- 5. Biltz, H.; Kedesdy, E. Chem. Ber., 1900, 33, 2190.
- 6. Baum, K.; Bigelow, S. S.; Nguyen, N. V.; Archibald, T. G.; Gilardi, R.; Flippen-Anderson, J. L.; George, C., J. Org. Chem., 1992, 57, 235-241.
- 7. Baum, K.; Bigelow, S. S.; Nguyen, N. V., Tetrahedron Letters, in press.

- 8. Baum, K.; Nguyen, N. V.; Gilardi, R.; Flippen-Anderson, J. L.; George, C., J. Org. Chem., in press.
- 9. Scholl, R.; Brenneisen, M. Chem. Ber. 1898, 31, 642.

## List of Publications, Contract DAAL03-88-C-0013

"Synthesis and Properties of 1,2-Difluorodinitroethylene", Baum, K.; Archibald, T. G.; Tzeng, D.; Gilardi, R.; Flippen-Anderson, J. L.; George, C., J. Org. Chem., 1991, 56, 537-539.

"Synthesis and Reactions of 1,1-Diiododinitroethylene", Baum, K.; Bigelow, S. S.; Nguyen, N. V.; Archibald, T. G.; Gilardi, R.; Flippen-Anderson, J. L.; George, C., J. Org. Chem., 1992, 57, 235-241.

"Nitration of 1,1-Diamino-2,2-dinitroethylenes", Baum, K.; Nguyen, N. V.; Gilardi, R.; Flippen-Anderson, J. L.; George, C., J. Org. Chem., in press.

"Reaction of 1,1-Diiododinitroethylene with Fluoride. Preparation of 1,1,1-Trifluorodinitroethane Derivatives", Baum, K.; Bigelow, S. S.; Nguyen, N. V., Tetrahedron Letters, in press.

"Preparation of 1,2-Dibromodinitroethylene and 1,1-Dibromodinitroethylene", Nguyen, N. V.; Baum, K., Tetrahedron Letters, in press.

### Participating Scientific Personnel

Kurt Baum, Nghi V. Nguyen, Thomas G. Archibald